L Number	Hits	Search Text	DB	Time stamp
3	2	6535038.pn.	USPAT;	2004/10/27 14:38
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	2040	(select\$3 selectively adjust\$5 programmable) near5 length near5 (delay	USPAT;	2004/10/15 11:57
		skew\$3)	US-PGPUB;	
			ЕРО; ЛРО;	
1			DERWENT;	
		·	IBM_TDB	
-	35	((select\$3 selectively adjust\$5 programmable) near5 length near5 (delay	USPAT;	2004/10/13 08:25
		skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))	US-PGPUB;	,
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	65718	(select\$3 selectively adjust\$5 programmable) near5 (delay skew\$3)	USPAT;	2004/10/13 08:10
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
1	2500		IBM_TDB	
[-	2508	((select\$3 selectively adjust\$5 programmable) near5 (delay skew\$3))	USPAT;	2004/10/13 08:10
·		same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))	US-PGPUB;	
			ЕРО; ЛРО;	
1			DERWENT;	
	106	(((a)1a)462 an1a)465	IBM_TDB	2004/10/12 00 24
-	105	(((select\$3 selectively adjust\$5 programmable) near5 (delay skew\$3))	USPAT;	2004/10/13 08:24
1		same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))) same length	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	71	(((((select\$3 selectively adjust\$5 programmable) near5 (delay skew\$3))	USPAT;	2004/10/13 08:11
1	'1	same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))) same length)	US-PGPUB;	2004/10/13 06.11
		not (((select\$3 selectively adjust\$5 programmable) near5 length near5	EPO; JPO;	
		(delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	DERWENT;	'
		loop\$1)))	IBM_TDB	
_	13	150p01777 ("5485490" "5642386" "5646968" "5910740" "5990968"	USPAT	2004/10/13 08:17
		"6085345" "6100733" "6111446" "6125157" "6166572"		200 1/10/15 00:17
		"6172937" "6178212" "6201423").PN.		
	233	(((select\$3 selectively adjust\$5 programmable) near5 (delay skew\$3))	USPAT;	2004/10/13 08:25
		same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))) same path	US-PGPUB;	200 11 10/15 00:25
1		(((t	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	79	((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPĀT;	2004/10/14 08:59
		skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))	US-PGPUB;	
			ЕРО, ЈРО,	
]			DERWENT;	
			IBM_TDB	
-	9	("4330751" "4675562" "4922141" "5103441" "5118975"	USPĀT	2004/10/14 07:57
		"5204559" "5204564" "5210450" "5287025").PN.		
-	2605	(select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:22
		skew\$3)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	2179153	((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:04
		skew\$3)) same long\$3 or short\$3	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	

-	397	((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay skew\$3)) same (long\$3 or short\$3)	USPAT; US-PGPUB;	2004/10/14 08:04
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	246	((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:04
		skew\$3)) same ((long\$3 or short\$3) near5 (path or length))	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	81	(((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:05
		skew\$3)) same (long\$3 or short\$3)) and g06f\$.ipc.	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
	102	(((-1-402 -1-402 -1-40-1-405	IBM_TDB	2004/10/14 00:07
-	102	(((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:07
		skew\$3)) same (long\$3 or short\$3)) and (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))	US-PGPUB;	
		lock\$3 adj1 loop\$1))	ЕРО; ЛРО;	
		·	DERWENT; IBM_TDB	
1_	12	(((select\$3 selectively adjust\$5 programmable) near5 path near5 (delay	USPAT;	2004/10/14 08:40
	12	skew\$3)) same (long\$3 or short\$3)) same (PLL DLL ((phase delay) adj1	US-PGPUB;	2004/10/14 08.40
	1	lock\$3 adj1 loop\$1))	EPO; JPO;	
		l lockes day! loops!))	DERWENT;	
			IBM_TDB	
l -	762	(select\$3 selectively adjust\$5 programmable) near5 analog\$2 near5	USPAT;	2004/10/14 08:32
		(delay skew\$3)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	41	((select\$3 selectively adjust\$5 programmable) near5 analog\$2 near5	USPAT;	2004/10/14 08:33
		(delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	US-PGPUB;	
	1	loop\$1))	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	2042	(select\$3 selectively adjust\$5 programmable) near5 length near5 (delay	USPAT;	2004/10/14 08:32
		skew\$3)	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
	35	((select\$3 selectively adjust\$5 programmable) near5 length near5 (delay	IBM_TDB USPAT;	2004/10/14 08:38
_	33	skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1 loop\$1))	US-PGPUB;	2004/10/14 08.38
		skew\$5)) same (1 LL DLL ((phase delay) adj1 lock\$5 adj1 loop\$1))	ЕРО; ЛРО;	
	:		DERWENT;	
			IBM_TDB	
-	1381	phase same ((read near8 write) near8 clock\$1)	USPAT;	2004/10/14 08:39
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	205	((select\$3 selectively adjust\$5 programmable) near8 phase) same ((read	USPAT;	2004/10/14 08:40
		near8 write) near8 clock\$1)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
		/// 1 /00 1 // 1 1/ /05	IBM_TDB	2004/20/24 20 :-
-	60	(((select\$3 selectively adjust\$5 programmable) near8 phase) same	USPAT;	2004/10/14 08:40
		((read near8 write) near8 clock\$1)) same (PLL DLL ((phase delay) adj1	US-PGPUB;	
		lock\$3 adj1 loop\$1))	EPO; JPO;	
			DERWENT;	
L		<u> </u>	IBM_TDB	

-	3	((select\$3 selectively adjust\$5 programmable) near5 plurality near5	USPAT;	2004/10/14 08:46
		(path\$1 or length\$1) near5 (delay skew\$3)) same (PLL DLL ((phase	US-PGPUB;	
		delay) adj1 lock\$3 adj1 loop\$1))	ЕРО; ЛРО;	
		·	DERWENT;	
	20		IBM_TDB	
-	28	delay and trujillo.xa.	USPAT;	2004/10/14 08:48
			US-PGPUB;	
	ł		ЕРО; ЈРО;	
			DERWENT;	
-	26		IBM_TDB	****
-	26	(((select\$3 selectively adjust\$5 programmable) near5 feedback near5	USPAT,	2004/10/14 08:59
		(delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	US-PGPUB;	
		loop\$1))) and g06f\$.ipc.	ЕРО; ЛРО;	
			DERWENT;	
		5/57457 I IDDN	IBM_TDB	2004/10/14 00 26
-	166	5657457.URPN.	USPAT	2004/10/14 09:26
-	166	((select\$3 selectively adjust\$5 programmable) near5 feedback near5	USPAT;	2004/10/14 10:33
		(delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	US-PGPUB;	
		loop\$1))	EPO; JPO;	
			DERWENT;	
	140	(((select\$3 selectively adjust\$5 programmable) near5 feedback near5	IBM_TDB USPAT;	2004/10/14 10:26
-	140	(((selects) selectively adjustes) programmable) hears reedback hears (delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	US-PGPUB;	2004/10/14 10.20
	-	loop\$1))) not ((((select\$3 selectively adjust\$5 programmable) near5	EPO; JPO;	
		feedback near5 (delay skew\$3)) same (PLL DLL ((phase delay) adj1	DERWENT;	·
		lock\$3 adj1 loop\$1))) and g06f\$.ipc.)	IBM_TDB	
1_	214	((select\$3 selectively adjust\$5 programmable variable) near5 feedback	USPAT;	2004/10/15 11:57
-	214	near5 (delay skew\$3)) same (PLL DLL ((phase delay) adj1 lock\$3 adj1	US-PGPUB;	2004/10/15 11.57
		loop\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l -	1	"6441662".PN.	USPAT	2004/10/14 10:42
-	9	("4519024" "4922404" "5179512" "5818704" "5870299"	USPAT	2004/10/14 11:05
		"5940287" "5999420" "6026005" "6239994").PN.		
-	2	6366150.URPN.	USPAT	2004/10/14 11:12
-	3	6356122.URPN.	USPAT	2004/10/14 11:14
-	19	("5068628" "5465076" "5489864" "5646564" "5712884"	USPAT	2004/10/14 11:15
	1	"5796673" "5963074" "5969553" "6043717" "6052011"		
		"6104223" "6125157" "6151356" "6184753" "6194930"		
	1	"6292040" "6356122" "6501309" "6625242").PN.		
-	1	6278641.URPN.	USPAT	2004/10/14 11:23
-	2	("5801566" "6081462").PN.	USPAT	2004/10/14 11:23
-	62	(thuan near2 du).xa. and delay	USPAT;	2004/10/15 11:56
1	1		US-PGPUB;	
1	-		EPO; JPO;	
			DERWENT;	
	1/0	207/140 colo	IBM_TDB	2004/10/15 10:45
-	169	327/149.ccls.	USPAT;	2004/10/15 10:46
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
		("4300640" "4405473") DNI	IBM_TDB USPAT	2004/10/15 11:40
	2 8	("4309649" "4495473").PN. 6137327.URPN.	USPAT	2004/10/15 11:40
	6721	signal near5 path near5 delay	USPAT;	2004/10/15 11:53 2004/10/15 11:57
	0,21	organization partitions delay	US-PGPUB;	200 11 10/13 11.37
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	6079212	(signal near5 path near5 delay) near "10" (select\$3 selectively adjust\$5	USPAT;	2004/10/15 11:58
		programmable variable)	US-PGPUB;	
		,	EPO; JPO;	
1			DERWENT,	
	<u> </u>		IBM_TDB	
			•	

			,	<u>,</u>
•	1337	(signal near5 path near5 delay) near10 (select\$3 selectively adjust\$5	USPAT;	2004/10/15 12:33
		programmable variable)	US-PGPUB;	
-			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	71	((signal near5 path near5 delay) near10 (select\$3 selectively adjust\$5	USPAT;	2004/10/15 11:59
		programmable variable)) same (delay near8 length)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	14	(((signal near5 path near5 delay) near10 (select\$3 selectively adjust\$5	USPAT;	2004/10/15 11:59
		programmable variable)) same (delay near8 length)) not (((signal near5	US-PGPUB;	
	ļ	path near5 delay) near10 (select\$3 selectively adjust\$5 programmable	ЕРО; ЛРО;	
		variable)) near10 length)	DERWENT;	
			IBM_TDB	
	68	((signal near5 path near5 delay) near10 (select\$3 selectively adjust\$5	USPĀT;	2004/10/15 12:12
	1	programmable variable)) near10 length	US-PGPUB;	
		1. 0	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	1197	327/156.ccls.	USPAT;	2004/10/15 12:33
	,		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	45	327/156.ccls. and (path near10 (select\$3 selectively adjust\$5	USPAT;	2004/10/15 12:37
	73	programmable variable) same delay)	US-PGPUB;	2004/10/13 12.37
	į.	programmable variable) same delay)	ЕРО; ЛРО;	
			1	
			DERWENT;	
	41	clock near3 tree near10 (different near5 delay\$1)	IBM_TDB USPAT;	2004/10/15 12:20
-	41	clock hears tree hear to (different hears derays)	US-PGPUB;	2004/10/15 12:39
			EPO; JPO;	
			DERWENT;	
	1277	coloct\$2 macus (different macus delev\$1)	IBM_TDB	2004/10/15 12:40
-	12//	select\$3 near5 (different near5 delay\$1)	USPAT;	2004/10/15 12:40
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ے ا	(colort\$2 mont (different mont delev\$1)) name (noth mont longth\$1)	IBM_TDB	2004/10/15 12:40
-	0	(select\$3 near5 (different near5 delay\$1)) same (path near5 length\$1)	USPAT;	2004/10/15 12:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,,,	motah\$2 maan0 dalau maan0 samaaita=	IBM_TDB	2004/10/10 00:55
] -	111	match\$3 near8 delay near8 capacitance	USPAT;	2004/10/18 09:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(#5124660# #5222755# #5727006# #5020530# #6246244#	IBM_TDB	2004/10/19 22 2 :
-	7	("5124669" "5223755" "5787096" "5920518" "5946244"	USPAT	2004/10/18 08:24
	2444	"6069506" "6194930").PN.	HODAT	2004/10/10 00 55
-	2444	365/194	USPAT;	2004/10/18 09:56
	[US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	379	365/194.ccls. and capacitance	USPAT;	2004/10/18 09:58
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
L	<u> </u>		IBM_TDB	

-	133	365/194.ccls. and (length near5 delay\$3)	USPAT; US-PGPUB;	2004/10/18 10:16
			ЕРО, ЈРО;	
			DERWENT;	
			IBM_TDB	
-	2	5,614,855.pn.	USPAT;	2004/10/18 10:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	568	365/194.ccls. and (select\$8 near8 delay\$3)	USPAT;	2004/10/18 10:16
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	15	365/194.ccls. and ((select\$8 near8 delay\$3) same (pll or (phase adj2	USPAT;	2004/10/18 10:36
		lock\$3)))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	1398	365/194.ccls.	USPAT;	2004/10/18 10:36
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
	1.2	265/104 1 166/15 (#2 11) 0.11 #2) (#2	IBM_TDB	0004/10/10 10 00
-	13	365/194.ccls. and (((adjust\$3 programmable) near8 delay\$3) same (pll	USPAT;	2004/10/18 10:37
		or (phase adj2 lock\$3)))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	2	6253333.pn.	USPAT;	2004/10/19 08:09
		•	US-PGPUB;	
			ЕРО; ЈРО;	,
		·	DERWENT;	
Ì		(252222 LIDDA	IBM_TDB	2004/10/10 00:00
_	2 6	6253333.URPN. ("5063576" "5426772" "5917760" "5946712" "5953284"	USPAT USPAT	2004/10/19 08:09 2004/10/19 08:11
ļ -		(3003370 3420772 3917700 3940712 3933284	USIAI	2004/10/19 06.11
_	2	6253333.URPN.	USPAT	2004/10/25 16:32
-	6	("5063576" "5426772" "5917760" "5946712" "5953284"	USPAT	2004/10/25 16:33
		"5978929").PN.		
-	34	bogumil.in.	USPAT;	2004/10/25 16:39
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	224	(packet near3 data with (time adj1 stamp or timestamp)).clm.	USPAT,	2004/10/26 08:03
	'	, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
	1		ЕРО; ЈРО;	
			DERWENT;	
-			IBM_TDB	2004/10/24 00 ==
-	82	motherboard same (north near2 bridge) same (south near2 bridge)	USPAT;	2004/10/26 08:09
			US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
] -	0	(motherboard same (north near2 bridge) same (south near2 bridge)) and	USPAT;	2004/10/26 08:10
		(host adj1 clock)	US-PGPUB;	
			ЕРО; ЈРО;	,
			DERWENT;	
L	L		IBM_TDB	

			T	I
-	810	(north near2 bridge) same (south near2 bridge)	USPAT;	2004/10/26 08:42
		·	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
1,	İ		IBM_TDB	
-	2	((north near2 bridge) same (south near2 bridge)) same (host adj1 clock)	USPAT;	2004/10/26 08:42
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
-	6	751651.ap.	USPAT;	2004/10/26 08:32
			US-PGPUB;	
İ			ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
1_	2	6687814.pn.	USPAT;	2004/10/26 08:22
-	-	0087814.pii.		2004/10/26 08:33
			US-PGPUB;	
,			ЕРО; ЈРО;	
			DERWENT;	
		(41 001 11) (4 001 11)	IBM_TDB	
-	214	(north\$2bridge) same (south\$2bridge)	USPAT;	2004/10/26 08:42
	1		US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
	1		IBM_TDB	
-	0	((north\$2bridge) same (south\$2bridge)) same (host adj1 clock)	USPAT;	2004/10/26 08:42
		·	US-PGPUB;	
			ЕРО, ЛРО,	
			DERWENT;	
			IBM_TDB	
-	97	((north near2 bridge) same (south near2 bridge)) same (clock)	USPĀT;	2004/10/26 09:00
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	2	5940858.URPN.	USPAT	2004/10/26 08:45
_	10	5991833.URPN.	USPAT	2004/10/26 08:46
_	15	("5317720" "5625824" "5732226" "5761725" "5822549"	USPAT	2004/10/26 08:46
	15	"5828856" "5872936" "5878235" "5914730" "5930486"	OSIAI	2004/10/20 00:40
		"5956493" "5991833" "6047349" "6098136" "6128688").PN.		
	16	3930493 3931833 0047349 0036136 0128088).FN. ("4393477" "4616346" "4716551" "4901283" "5262998"	USPAT	2004/10/26 00:52
-	10		USPAI	2004/10/26 08:52
		"5278796" "5313428" "5321662" "5379400" "5465367" "5495452" "5680359" "5784328" "5801982" "5808952"		
]			
	1	"5828619").PN.	LIODAT	2004/10/21 00 ==
-	39	atkinson in. and compaq as.	USPAT;	2004/10/26 08:55
	1		US-PGPUB;	
			ЕРО; ЈРО;	
	!		DERWENT;	
			IBM_TDB	
-	14	6134167.URPN.	USPAT	2004/10/26 08:56
-	18193	memory near2 control\$4 same (clock)	USPAT;	2004/10/26 09:01
			US-PGPUB;	
	1		ЕРО; ЛРО;	
			DERWENT,	
		· ·	IBM_TDB	
-	18193	(memory near2 control\$4) same (clock)	USPAT;	2004/10/26 09:01
			US-PGPUB;	
			ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
L	L	<u> </u>	1 11/11/11/11/11	l., <u> </u>

-	1952	((memory near2 control\$4) same (clock)) same delay	USPAT; US-PGPUB;	2004/10/26 09:07
			ЕРО; ЛРО;	
			DERWENT;	
	164	((memory near2 control\$4) same (clock)) same (select\$4 near5 delay\$1)	IBM_TDB USPAT;	2004/10/26 09:03
1		(Minimizer Final States (Section Final State	US-PGPUB;	200-1/10/20 07:03
			ЕРО; ЛРО;	
			DERWENT;	
	578	((mamorumany) aantuul(4) aana (alaala)) aana (all aa (alaaa ali)	IBM_TDB	2004/10/26 00 00
-	3/8	((memory near2 control\$4) same (clock)) same (pll or (phase adj1 lock\$3 adj1 loop))	USPAT; US-PGPUB;	2004/10/26 09:08
			EPO; JPO;	
	:		DERWENT,	
	40		IBM_TDB	
-	48	(((memory near2 control\$4) same (clock)) same (pll or (phase adj1 lock\$3 adj1 loop))) same bridge	USPAT;	2004/10/26 09:36
		l lock\$3 aug 1 loop))) same ortuge	US-PGPUB; EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	
-	6	("5063576" "5426772" "5917760" "5946712" "5953284"	USPAT	2004/10/26 09:37
	159	"5978929").PN. physical near3 length near5 delay	USPAT;	2004/10/26 00:27
-	139	physical fical 3 feligiti fical 3 delay	USPAT; US-PGPUB;	2004/10/26 09:37
		1	EPO; JPO;	
			DERWENT,	
	2514		IBM_TDB	
-	2714	(physical or line) near3 length near5 delay	USPAT; US-PGPUB;	2004/10/26 09:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	170	((physical or line) near3 length near5 delay) with clock	USPAT;	2004/10/26 09:38
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	2.5		IBM_TDB	
-	. 26	(((physical or line) near3 length near5 delay) with clock) and g06f\$.ipc.	USPAT; US-PGPUB;	2004/10/26 09:42
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	732	propagation adj1 delay near5 length	USPAT;	2004/10/26 09:42
			US-PGPUB; EPO; JPO;	
			DERWENT;	ļ
			IBM_TDB	
-	132	(propagation adj1 delay near5 length) and g06f\$.ipc.	USPAT;	2004/10/26 09:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	("5394024" "5557779" "5578938" "5600568" "5767720"	USPAT	2004/10/26 09:44
	109256	"5923570" "6266803" "6425114" "2002/0073389").PN. select\$7 near5 length\$1	USPAT;	2004/10/26 09:47
] -	109230	sereew, near religitud	US-PGPUB;	2004/10/20 09:4/
			ЕРО; ЛРО;	
[,			DERWENT;	
<u> </u>	55028	(adjust\$3 chang\$3 modify\$3) near5 (skew\$1 or delay\$1)	IBM_TDB USPAT;	2004/10/26 09:48
	22020	(adjustus changes mountyes) hears (skewer of delayer)	USPAT; US-PGPUB;	2004/10/20 09:48
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	

-	155	(select\$7 near5 length\$1) same ((adjust\$3 chang\$3 modify\$3) near5 (skew\$1 or delay\$1))	USPAT; US-PGPUB;	2004/10/26 10:10
		` "	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	7	("4714924" "5043596" "5087829" "5426644" "5451894"	USPAT	2004/10/26 10:05
	410	"5621774" "6078623").PN.	**************************************	0004/10/06 10 05
-	419	delay near5 parasitic adj1 capacitance	USPAT;	2004/10/26 10:27
			US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	45	(delay near5 parasitic adj1 capacitance) same (memory sdram\$1 dram)	USPAT;	2004/10/26 11:52
1			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	12	sdram same (parasitic adj1 capacitance)	USPAT;	2004/10/26 10:28
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM_TDB	
_	65	(delay near5 parasitic adj1 capacitance) and (memory sdram\$1	USPAT;	2004/10/26 10:30
		dram).ti,ab.	US-PGPUB;	200 11 10/20 10:00
		·	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	374	713/503.ccls.	USPAT;	2004/10/26 14:18
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	158	713/503.ccls. and length	IBM_TDB USPAT;	2004/10/26 11:59
-	150	7137303.ccis. and length	US-PGPUB;	2004/10/20 11.57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	36	713/503.ccls. and (length near5 delay)	USPAT;	2004/10/26 12:02
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM_TDB	
l <u>-</u>	4	713/503.ccls. and (select near5 path)	USPAT;	2004/10/26 12:13
		, by the control in the control	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	22	713/503.ccls. and (select\$3 near5 path)	USPAT;	2004/10/26 12:50
			US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM_TDB	
	177	(clock adj1 tree) same (PLL or (phase adj1 lock\$3 adj1 loop))	USPAT;	2004/10/26 13:02
	'''	(cross and resolvents (r pp or (prime and r rootes and reop))	US-PGPUB;	
			ЕРО; ЛРО;	
	1		DERWENT;	
			IBM_TDB	
-	70	fuse near6 valid	USPAT;	2004/10/26 13:03
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
L	<u> </u>	<u> </u>	I mini_inn	1

·	302	fuse near6 (valid or verif\$7)	USPAT;	2004/10/26 13:04
	302	luse heard (valid of verifier)	US-PGPUB;	2004/10/20 13:04
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
_	40	fuse near6 (valid or verif\$7) near8 voltage	USPAT;	2004/10/26 13:04
	10	Tuse heard (varia or verifar) heard vortage	US-PGPUB;	2004/10/20 13:04
		·	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
l <u>-</u>	41	fuse near6 (valid\$7 or verif\$7) near8 voltage	USPAT;	2004/10/26 13:04
	1	Tuse heard (variation of verifier) heard voltage	US-PGPUB;	2004/10/20 13:04
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
l _	396	713/401.ccls.	USPAT;	2004/10/26 14:18
] 370.	7137401.0013.	US-PGPUB;	2004/10/20 14.10
		·	ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
_	2	5513135.pn.	USPAT;	2004/10/27 07:13
		3313133.pm.	US-PGPUB;	2004/10/27 07:13
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
_	17	determin\$3 near5 number near5 (dimm or (dual adj1 inline adj1	USPAT;	2004/10/27 09:51
-		memory adj1 module\$1))	US-PGPUB;	
		,g,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
} <u>-</u>	133	determin\$3 near5 number near5 (dimm or (memory near3 module\$1))	USPAT;	2004/10/27 09:52
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB,	
			ЕРО; ЛРО;	
			DERWENT,	
	İ		IBM_TDB	
-	116	(determin\$3 near5 number near5 (dimm or (memory near3 module\$1)))	USPAT;	2004/10/27 09:52
		not (determin\$3 near5 number near5 (dimm or (dual adj1 inline adj1	US-PGPUB;	
		memory adj1 module\$1)))	ЕРО; ЈРО;	
			DERWENT;	
·			IBM_TDB	
-	2	6496911.URPN.	USPAT	2004/10/27 10:24
-	5	("5625580" "5727182" "5752066" "5768584" "6067650").PN.	USPAT	2004/10/27 10:27